

Message

From: Fuoco, Marta [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=ACB697586BE74CF2AC37B0F4E221DA97-MFUOCO]
Sent: 6/11/2018 6:18:14 PM
To: Compher, Michael [compher.michael@epa.gov]
Subject: RE: Request for information

Yes-

Marta A. Fuoco | U.S. Environmental Protection Agency R5
Air & Radiation Division | Air Monitoring and Analysis
77 W. Jackson Blvd. (AR-18J) | Chicago, IL 60604 | 312.886.6243

From: Compher, Michael
Sent: Monday, June 11, 2018 1:05 PM
To: Fuoco, Marta <fuoco.marta@epa.gov>
Subject: FW: Request for information

Marta - Can you reply back to Gina and Brian and provide direction?

Michael Compher
Chief, Air Monitoring and Analysis Section
Region 5 Air and Radiation Division
U.S. Environmental Protection Agency
Phone: 312-886-5745

From: Harrison, Gina
Sent: Monday, June 11, 2018 8:02 AM
To: Compher, Michael <compher.michael@epa.gov>
Cc: Dickens, Brian <dickens.brian@epa.gov>
Subject: FW: Request for information

Michael,

See request below from AK Steel. Let me know if you need them to request the results/report via FOIA or another format.

Thanks,

Gina

From: Pat.Gallo@aksteel.com [mailto:Pat.Gallo@aksteel.com]
Sent: Friday, June 08, 2018 2:11 PM
To: Harrison, Gina <harrison.gina@epa.gov>
Cc: Dave.Miracle@aksteel.com; Chris.Potts@aksteel.com; michael.bathe@aksteel.com
Subject: Request for information

Gina, as we discussed yesterday, AK Steel would like a copy of the final inspection report. We would also like to formerly request the sampling results from the mobile truck ambient air monitoring station including the cannister set.

Confidentiality Notice

This message is intended exclusively for the individual or entity to which it is addressed and may contain

privileged, proprietary, or otherwise private information.

If you are not the named addressee, you are not authorized to read, print, retain, copy or disseminate this message or any part of it. If you have received this message in error, please notify the sender immediately by e-mail and delete all copies of the message.